

PL

EN

CZ

DE

NL



gren fox

MASTER OF GROWING


CHARAKTERYSTYKA FILTRÓW WĘGLOWYCH
/ CHARACTERISTICS OF CHARCOAL FILTERS
/ CHARAKTERISTIKA FILTRŮ UHLÍ / MERKMALE VON KOHLEFILTERN
/ KENMERKEN VAN HOUTSKOOLFILTERS




COLT FILTR WĘGLOWY / CARBON FILTERS / UHLÍKOVÉ FILTRY
/ KOHLENSTOFFFILTER / KOOLSTOFFILTERS

Typoszereg filtrów węglowych / Series of types of carbon filters / Série typů uhlíkových filtrů / Serie von Typen von Kohlefiltern / Serie soorten koolstoffilters

d	100		125		150	160	200	250
D	180	330	180	230	230	230	280	330
L	180	135	180	135	400	400	500	500
	250	250	250	250	650	650	800	750
	400		400					




COLT Ø100 180 180




V , m ³ /h	p , Pa	PK max [m ³ /h]
0	0	270
198	67	
273	134	
348	189	

COLT Ø100 180 180




V , m ³ /h	p , Pa	PK max [m ³ /h]
0	0	410
205	48	
251	105	
270	185	

COLT Ø100 180 400



V, m³/h	p, Pa	PK max [m³/h]
0	0	530
221	38	
296	88	
320	153	


Colt 100 125 180 180



COLT Ø125 180 180




V, m ³ /h	p, Pa	PK max [m ³ /h]
0	0	330
202	91	
255	148	
265	225	




COLT Ø125 180 250



V, m ³ /h	p, Pa	PK max [m ³ /h]
0	0	410
185	71	
253	127	
311	195	




COLT Ø125 180 400




V, m³/h	p, Pa	PK max [m³/h]
0	0	530
206	48	
306	98	
320	164	

COLT Ø125 230 135




V, m³/h	p, Pa	PK max [m³/h]
0	0	300
153	109	
223	170	
255	237	

COLT Ø125 230 250




V, m³/h	p, Pa	PK max [m³/h]
0	0	490
175	82	
265	138	
296	201	

COLT Ø150 230 400




V, m³/h	p, Pa	PK max [m³/h]
0	0	960
290	23	
393	50	
440	**	

COLT Ø150 230 650




V, m³/h	p, Pa	PK max [m³/h]
0	0	1200
280	34	
375	67	
425	125	

COLT Ø160 230 400




V, m³/h	p, Pa	PK max [m³/h]
0	0	1000
291	30	
388	58	
490	125	

COLT Ø160 230 650




V, m³/h	p, Pa	PK max [m³/h]
0	0	1300
290	23	
420	48	
515	100	

COLT Ø200 280 500




V, m³/h	p, Pa	PK max [m³/h]
0	0	1200
590	37	
823	64	
1120	125	

COLT Ø200 280 800




V, m³/h	p, Pa	PK max [m³/h]
0	0	1500
598	30	
895	52	
1125	141	

COLT Ø250 330 500



V, m³/h	p, Pa	PK max [m³/h]
0	0	1600
925	41	
1315	87	
1510	170	

COLT Ø250 330 750



V, m³/h	p, Pa	PK max [m³/h]
0	0	2400
907	23	
1302	57	
1512	127	



gren fox
MASTER OF GROWING



Gren Fox S.A.
ul. Główna 188
42-280 Częstochowa - POLAND
+48 (34) 370 31 05
grenfox.com
